



www.stutrailer.com

CUSTOMIZED TRAILERS

SEMI-TRAILERS BOAT TRAILERS

Lowbed · Low Loader · Flatbed · Tipper · Container · Car Transporter
STU Trailers® Company Ltd. · Karatay / Konya / Türkiye · Exporting to 60 countries

+90 541 336 63 77



sales@stutrailer.com

www.stutrailer.com


3 AXLE EXTENDABLE REMORQUE BOAT TRAILER



DETAIL PICTURES



TECHNICAL DRAWING



SPECIFICATIONS

Chassis : In accordance with the purpose of usage and it's capacity with safety transports, all trailers design of their constructions with high strength cross members and productions are with high-tech welding machines. Quality Strenx™ 700E (MC700) steel grade is using on productions

Connection Point : Cracked Triangle to Tow Set 100 KN tow eye / 57,5mm diameter with another coupling suitable for VBG

Upper Construction : Front Floor will be steel chequered plate, rest will be plywood

Axles : 3x12 Tons Capacity 17,5" Jumbo Axle, First Axle will be rotary table

Tires : 235/65 R17,5" tyres with their rims According to the stocks, Half mudguards for tyres

Suspensions : Air Suspension

Brake System : Wabco or Knorr Bremse Brake 4S-3M EBS system

ELECTRICAL SYSTEM : 2x/ pin sockets - 24V, lights accord to standard in SAE rear dynamic led stop lamps (Dasteri™ Brand), side marker lamps, brake safety warning lamps and signal light fitted at the rear 2 tail & stop combined lamps (red), 2 turn signal combined lamps (orange), 1 license lamp (white) , HELLA™ Brand 4 working led lights, 2 rear flash lamp

Painting

First Step : Sand Blasting all surface,

First Layer : Barrier (%80 Zinc-Reach) Coating Double Times - C5 (ISO 12944-2)

Second Layer : Epoxy Coating

Third Layer : Premium Acrylic Paint

Fourth Layer : 2K Super Clear Coating for Protection and Shine (95-110 GU) 60 Degree

ACCESSORIES & NOTES : Container Locks, Hydraulic Supporter Arms, Remote control for all hydraulic movements, galvanized parts, Lashing Rings, 40mm Plywood on surface, 12 x Side Stanchions, 4 Red-White Reflectors with turning lights, Extendable Drawbar, Aluminium small parts,

sales@stutrailer.com

www.stutrailer.com






4 AXLE EXTENDABLE REMORQUE BOAT TRAILER



CLICK for
VIDEO

DETAIL PICTURES



SPECIFICATIONS

Chassis : In accordance with the purpose of usage and it's capacity with safety transports, all trailers design of their constructions with high strength cross members and productions are with high-tech welding machines. Quality Strenx™ 700E (MC7ZOO) steel grade is using on productions

Connection Point : Cracked Triangle to Tow Set 100 KN tow eye / 57,5mm diameter with another coupling suitable for VBG

Upper Construction : Front Floor will be steel chequered plate, rest will be plywood

Axles : 4x12 Tons Capacity 17,5" Jumbo Axle, First Axle will be rotary table

Tires : 235/65R17,5" tyres with their rims According to the stocks, Half mudguards for tyres

Suspensions : Air Suspension

Brake System : Wabco or Knorr Bremse Brake 4S-3M EBS system

ELECTRICAL SYSTEM : 2x/ pin sockets - 24V, lights accord to standard in SAE rear dynamic led stop lamps (Dasteri™ Brand), side marker lamps, brake safety warning lamps and signal light fitted at the rear 2 tail & stop combined lamps (red), 2 turn signal combined lamps (orange), 1 license lamp (white) , HELLA™ Brand 4 working led lights, 2 rear flash lamp

Painting

First Step : Sand Blasting all surface,

First Layer : Barrier (%80 Zinc-Reach) Coating Double Times - C5 (ISO 12944-2)

Second Layer : Epoxy Coating

Third Layer : Premium Acrylic Paint

Fourth Layer : 2K Super Clear Coating for Protection and Shine (95-110 GU) 60 Degree

ACCESSORIES & NOTES : Container Locks, Hydraulic Supporter Arms, Remote control for all hydraulic movements, galvanized parts, Lashing Rings, 40mm Plywood on surface, 12 x Side Stanchions, 4 Red-White Reflectors with turning lights, Extendable Drawbar, Aluminium small parts