



www.stutrailer.com

CONTAINER TRAILER

SEMI-TRAILERS CONTAINER TRAILERS


Lowbed · Low Loader · Flatbed · Tipper · Container · Car Transporter
STU Trailers® Company Ltd. · Karatay / Konya / Türkiye · Exporting to 60 countries

+90 541 336 63 77

sales@stutrailer.com

www.stutrailer.com

40 FT CONTAINER TRAILER



SPECIFICATIONS

CHASSIS and STRUCTURE : In accordance with the international transportation standards and prepared as having section with high resistance to allow to obtain the highest efficiency under all road and weather conditions, is manufactured with automatic tig welding machines from MC700 High Quality Sheet plates

Axles : 3x9 tonnes capacity SAF Brand Disc Axle, 6 pcs Air balloons

Suspensions : It is supplied with air suspension 6 pieces Z shears, 6 pieces bellows and 6 pieces shock absorber

Brake System : 2S-2M Knorr or Wabco brand EBS braking system

Brake Chambers : 1 Axles with T 30/30 emergency brake chamber, 2 Axle 24/30 Service Brake Chamber

Electrical system : LED 2x7 pin sockets- 24V, lights accord to standard in rear stop lamps, side marker lamps, brake safety warning lamps and signal light fitted at the rear. Side Position Led Zone Lamps, 2 tail & stop combined lamps (red), 2 turn signal combined lamps (orange), 1 license lamp (white)

Tires : 6 Pieces 385/65 R 22,5 From Stocks

Rims : 6 Pieces 22.5" Jantsa or Jantas Brand


King Pin : OMS BRAND DIN 74080 standards 2" king pin detachable from below made with 8 bolt type

Landing Gear : OMS BRAND Landing Gears Front Jack feet are telescopic, parallel working, double speed jointed with wide shoes static 50 tons, dynamic 25 tons capacity

Painting : Sand Blasting all surface, First Layer %80 Zinc-Reach Coating Double Times (Powerful Cover from Rust) Second Layer Epoxy Coating, Third Layer with Jotun Brand Premium Acrylic Paint, Fourth Layer 2K Super Clear Coating for protection, Color of the trailer will be RAL (Depend on Customer Choice)

ACCESSORIES : Multi-Piece Plastic Fenders That Covers Trailing Axle Tires Control Panel (Mob, Air Clock, Manometer For Air) 1 x Plastic Toolbox, 2x Anti-slip Mudguard on back axles 2x20 ft or 1x40 ft Container Locks


DETAIL PICTURES



45 FT EXTENDABLE CONTAINER TRAILER



TECHNICAL DRAWING



SPECIFICATIONS

CHASSIS and STRUCTURE : The extendable chassis designed in accordance with the international transportation standards and prepared as having "I" section with high resistance to allow to obtain the highest efficiency under all road and weather conditions, is manufactured with automatic tig welding machines from MC700 High Quality Sheet plates

Axles : 3x9 tonnes capacity SAF Brand Disc Axle, 6 pcs Air balloons

Suspensions : It is supplied with air suspension 6 pieces Z shears, 6 pieces bellows and 6 pieces shock absorber

Brake System : 2S-2M Knorr or Wabco brand EBS braking system

Brake Chambers : 1 Axles with T 30/30 emergency brake chamber, 2 Axle 24/30 Service Brake Chamber

Electrical system : LED 2x7 pin sockets- 24V, lights accord to standard in rear stop lamps, side marker lamps, brake safety warning lamps and signal light fitted at the rear. Side Position Led Zone Lamps, 2 tail & stop combined lamps (red), 2 turn signal combined lamps (orange), 1 license lamp (white)

Tires : 6 Pieces 385/65 R 22,5 From Stocks

Rims : 6 Pieces 22.5" Jantsa or Jantas Brand

King Pin : OMS BRAND DIN 74080 standards 2" king pin detachable from below made with 8 bolt type

Landing Gear : OMS BRAND Landing Gears Front Jack feet are telescopic, parallel working, double speed jointed with wide shoes static 50 tons, dynamic 25 tons capacity

Painting : Sand Blasting all surface, First Layer %80 Zinc-Reach Coating Double Times (Powerful Cover from Rust) Second Layer Epoxy Coating, Third Layer with Jotun Brand Premium Acrylic Paint, Fourth Layer 2K Super Clear Coating for protection, Color of the trailer will be RAL (Depend on Customer Choice)

ACCESSORIES : Multi-Piece Plastic Fenders That Covers Trailing Axle Tires Control Panel (Mob, Air Clock, Manometer For Air) 1 x Plastic Toolbox, 2x Anti-slip Mudguard on back axles 1x30 ft or 2x20 ft or 1x40 ft or 1x45 ft Container Locks

DETAIL PICTURES

